

Translation of German words in the drawing

Fig. 1:

- 5 Change "Steckerdichtung" to --plug seal--; and
change "Gehäusedichtung" to --housing seal--.

Fig. 2:


- Change "Umformer 13" to --transmitter 13--;
10 change "Schrauben" to --screws--;
change "Kodierung" to --coding--;
change "Stecker" to --plug--;
change "Messrohr" to --measuring tube--; and
change "Aufnehmer 5" to --transducer 5--.

15

Fig. 3:


- Change "13 Umformer (Elektronik)" to --13 transmitter (electronics);
change "Partie zur Zentrierung und Codierung des Umformers auf
Aufnehmer" (both occurrences) to --part for centering and coding
20 transmitter to transducer--;
change "Steckerkontakte" to --plug contacts--;
change "33 Dichtung" to --33 seal--;
change "Partie zum Schutz der Steckerkontakte" to --part for
protecting plug contacts--;
25 change "5 Aufnehmer (Sensor)" to --5 transducer (sensor)--;
change "Bewegliche ... Kontakte" to --movable plug sockets for
preventing lateral forces on plug- and socket-contacts--;
change "Partie zur Positionierung ... Printstecker" to --part for
positioning movable plug socket to print plug--; and
30 change "Vertiefte ... Aufnehmer" to --recessed part as sealing
surface and pre-centering of transmitter to transducer--.

[Fig. 001]



[Fig. 002]

Fig. 2



[Fig. 003]

